CLAIM AMENDMENTS

1. (currently amended): Method A method for the prevention or reduction of haze in a beverage comprising

adding wherein a proline-specific and/or hydroxy-prolyl-specific and/or an alaninespecific endoprotease is added to the beverage.

- 2. (currently amended): Method according to The method of claim 1 wherein the endoproteases are in an essentially isolated form.
- 3. (currently amended): Method according to any one of claims 1-2 The method of claim 1 wherein an endoprotease is added having a maximum specific activity at a pH which corresponds to the pH of the beverage it is added to.
- 4. (currently amended): Method according to any one of claims 1-3 The method of claim 1 wherein the beverage contains proteins.
- 5. (currently amended): Method according to any one of claims 1-4 The method of claim 1 wherein the beverage contains polyphenols.
- 6. (currently amended): Method according to any one of claims 1-5 The method of claim 1, wherein the beverage has a pH value at or below 7.0, 6.0, 5.5, 5.0, 4.5, 4.0, 3.5 or 3.0.
- 7. (currently amended): A method according to any one of claims 4-6 The method of claim 4 wherein at least 150 milli-units of specific endoprotease activity, as determined by an activity measurements using Z-Gly-Pro-pNA, Z-Gly-hydroxy-pro-pNA or Z-Gly-Ala-pNA as a substrate, is added to the beverage per gram protein in the beverage.
- 8. (currently amended): A method according to any one of claims 4-6 The method of claim 4 wherein at least 500 milli-units of specific endoprotease activity, as determined by an activity measurements using Z-Gly-Pro-pNA, Z-Gly-hydroxy-pro-pNA or Z-Gly-Ala-pNA as a substrate, is added to the beverage per gram protein in the beverage.

3

- 9. (currently amended): A-method according to any one of claims 4-6 The method of claim 4 wherein at least 1 unit of specific endoprotease activity, as determined by an activity measurements using Z-Gly-Pro-pNA, Z-Gly-hydroxy-pro-pNA or Z-Gly-Ala-pNA as a substrate, is added to the beverage per gram protein in the beverage.
- 10. (currently amended): Method according to any one of claims 1-9 The method of claim 1 wherein the beverage is a liquid used in the production of beer.
- 11. (currently amended): Method according to any one of claims 1-9 The method of claim 1 wherein the beverage is a liquid used in the production of wine.
- 12. (currently amended): Method according to any one of claims 1-9 The method of claim 1 wherein the beverage is a liquid used in the production of fruit juice.
- 13. (currently amended): Method according to The method of claim 10 wherein a prolyl-specific endoprotease is added to a mash.
- 14. (currently amended): Method according to The method of claim 10 wherein a prolyl-specific endoprotease is added to a beer before haze is formed.
- 15. (currently amended): Method according to The method of claim 10 wherein a prolyl-specific endoprotease is added to a fermented beer after haze has been formed.
- 16. (currently amended): Method according to The method of claim 11 wherein a prolyl-specific endoprotease is added to a fermented wine.
- 17. (currently amended): Method according to any of claims 1 to 16 The method of claim 1 wherein an auxiliary enzyme is added to the beverage in order to further reduce or prevent haze formation.
- 18. (currently amended): Method according to The method of claim 17 wherein the auxiliary protein is a purified exoprotease or endoprotease.

- 19. (currently amended): Method according to claims 17 or 18 The method of claim 18 wherein the exoprotease is a proline-specific carboxypeptidase.
- 20. (currently amended): Method according to The method of claim 19 wherein the proline specific carboxypeptidase is obtainable from Xanthomonas Xanthomonas.
- 21. (currently amended): Method according to claims 17 or 18 The method of claim 18 wherein the auxiliary endoprotease is a glycine-specific endoprotease and/or an aspartic acid protease.
- 22. (currently amended): Method-according to The method of claim 21 wherein the aspartic protease is Fromase[®].
- 23. (original): An isolated polypeptide having prolyl-specific and/or hydroxyprolyl-specific and/or alanine-specific endoprotease activity with an acidic pH optimum.
- 24. (currently amended): Polypeptide according to A polypeptide of claim 23 wherein the pH optimum lies at or around pH 5.5.
- 25. (currently amended): [[Use]] A method of preparing a beverage comprising combining the of a endoprotease according to any of claims 23 or 24 of claim 23 with in the preparation of a beverage.
- 26. (currently amended): [[Use]] The method of claim 25 wherein the beverage is of purified prolyl-specific and/or hydroxyprolyl-specific and/or alanine-specific endoprotease in the preparation of beer, wine or fruit juice.
- 27. (currently amended): Beverage A beverage obtainable by a method according to any one of claims 1-22 and/or 25-26 the method of claim 1.
 - 28. (original): Beer obtainable by a method according to claim 10.
 - 29. (original): Wine obtainable by a method according to claim 11.

30. (currently amended): Fruit juice obtainable by a method according to claim 12.

31. (new): A beverage obtainable by the method of claim 25.